=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/656,603

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms



PALM INTRANET

Day: Tuesday Date: 4/25/2006

Time: 09:16:31

Inventor Information for 10/656603

Inventor Name	City	State/Country
TURCOTT, ROBERT G.	MOUNTAIN VIEW	CALIFORNIA
Appln Info Contents Petition Info	o Atty/Agent Info	Continuity Data Foreign Data
Search Another: Application#	Search or Pa	tent# Search
PCT /	Search or PG PI	UBS # Search
Attorney Docket #		Search
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

A1 US 6997879 B1	l '		16	Hemodynamic analysis			Turcott, Robert G.
	USPAT	20060214		Methods and devices for reduction of motion-induced noise in optical vascular plethysmography	600/507	600/336; 600/500	Turcott; Robert G.
US 6945939 B2	USPAT	20050920		Hemodynamic analysis	600/481	600/300; 607/4; 607/5; 607/9	Turcott; Robert G.
US 6942622 B1	USPAT	20050913		Method for monitoring autonomic tone	600/508	600/485; 600/509; 600/513; 600/517; 600/521	Turcott: Robert
US 6792310 B1	USPAT	20040914		Methods, systems and devices for optimizing cardiac pacing parameters	607/27	607/28	Turcott Robert et al.
US 6731967 B1	USPAT	20040504		Methods and devices for vascular plethysmography via modulation of source intensity	600/407	600/473; 600/475; 600/477; 600/480; 600/485; 600/500	Turcott Robert
US 6600949 B1	USPAT	20030729		Method for monitoring heart failure via respiratory patterns	600/518	600/481; 600/508; 600/513	Turcott Robert
US 6575912 B1	USPAT	20030610		Assessing heart failure status using morphology of a signal representative of arterial pulse pressure	600/485	600/480; 600/500; 600/503; 600/508	Turcott Robert

B1				cardiac			Robert
				stimulation			et al.
				device and			
			ļ	method which			
				optimizes pacing effectiveness			
US 6561984	USPAT	20030513		Assessing heart	600/485	600/480;	Turcott;
B1				failure status		600/500	Robert
				using			
				morphology of a			
				signal			
				representative of			
				arterial pulse			
				pressure	600/500		
US 6527729	USPAT	20030304	37	Method for	600/528		Turcott;
B1				monitoring			Robert
				patient using acoustic sensor			
US 6522923	USPAT	20030218		Methods,	607/27		Turcott;
B1	USIAI	20030216		systems and	007727		Robert
D 1				devices for			
		:		optimizing			
				cardiac pacing			
				parameters using			
				evolutionary			
				algorithms			
US 6491639	USPAT	20021210		Extravascular	600/508	600/504	Turcott;
B1				hemodynamic		_	Robert
	7.705 4.50	00001110		sensor	600/516	600/500	Torrectty
US 6480733	USPAT	20021112		Method for	600/516	600/509	Turcott; Robert
B1				monitoring heart failure			Kobert
US 6477406	USPAT	20021105		Extravascular	600/518	607/36	Turcott;
B1	USPAT	20021103		hemodynamic	000/316	007/30	Robert
DI				acoustic sensor			1100011
US 6409675	USPAT	20020625	35		600/508	600/504;	Turcott
B1				hemodynamic		600/526;	Robert
				monitor		600/527;	
						600/528;	
		<u> </u>				600/586	
US 5941831	USPAT	19990824		Method for	600/515		Turcott
Α				diagnosing			Robert
				cardiac			
				arrhythmias			
				using interval			
	l I	1	1	irregularity	 	1	1

US 5712801 A	USPAT	19980127	Method for characterizing dynamical systems	702/158	600/450	Turcott; Robert
US 5645070 A	USPAT	19970708	Method and apparatus for determining the origins of cardiac arrhythmias morphology dynamics	600/515	600/508	Turcott; Robert

.

.